

Rubber Mountings



ESG-20001 - Two Pieces Engine Mount

Height: 3"

DIA: 3,50"

Inner Tube DIA: 0,95"



ESG-20002 - Two Pieces Engine Mount

Height: 2"

DIA: 1,85"

Inner Tube DIA: 0,53"

Rubber Mountings



**ESG-20003
T Rubber Mount**
Height: 2,20"
DIA: 2,95"
Inner Tube DIA: 0,63"



ESG-20005 - Rubber Hump Hose
Height - 4,50"
Inner DIA 1: 3,00"
Inner DIA 2: 2,50"




**ESG-20004
Engine/Transmission Mount**
Height: 2,30"
DIA: 3,20"
Inner Tube DIA: 0,80"



ESG-20006 - Rubber Hump Hose
Inner DIA. 1 - 2,20"
Inner DIA. 2 - 2,60"
Height 2,50"

Rubber Mountings



ESG-20008 - Bellow

Height: 5,00"

Inner Width 1: 4,85" x 4,50"

Inner Width 2: 5,93" x 4,93"



ESG-20007 - Rubber Hump Hose

Inner DIA. 5,50"

Size 25x25

Rubber Mountings



ESG-20009 - Rubber Hold Down Catch
Size 5"



ESG-30017
Product Range: 20 Size



ESG-20010
Engine/Transmission Mount



ESG-20011
Engine/Transmission Mount

Rubber Bumpers



ESG-30010 - Rubber Bumper
Product Range: 13 Size



ESG-30011 - Rubber Bumper
Product Range: 8 Size




ESG-30012 - Rubber Bumper
Lenght 620mm
Hight 92mm


Rubber Bumpers




ESG-30013 - Rubber Roll Bumper
Width 136mm



ESG-30014 - Rubber Roll Bumper
Width 216mm



ESG-30015 - Rubber Roll Bumper
Height 100mm
Width 344mm



ESG-30016 - Rubber Roll Bumper
Height 100mm
Width 564mm




- Product Specifications**
- DIN 73379-1A (NBR/NBR)
 - DIN 73379-1-2A (NBR/CR)
 - DIN 73379-1-2A (ECO/CR)
 - Sizes inner DIA. 1/8" to 3/4"
 - Reinforce Textilea

Fuel Hoses

Split Looms



- Product Specifications**
- Rex-Flex polyamid
 - PA-6 VO-UV
 - Halogen free
 - Sizes inner Dia. 1/8" to 4"





Bronze Ground Stud

Plastic Spiral Wrap



Product Specifications

- Polyethylene
- Sizes inner dia. 5/32" to 1/12"
- Red-Blue-White-Black colors
- UV resistant
- Use on jumper lines, slider hoses, hydraulic hoses etc.

Clamps

Hose Clamps



- V Clamps
- Hose Clamps
- Cable Clamps
- T Blot Clamps

Cable Clamps



Clamps

- V Clamps
- Hose Clamps
- Cable Clamps
- T Bolt Clamps



V Clamps



T Bolt Clamps



Exhaust Clamps



Heavy Duty V Clamps

Relays

Mini Relays • Power Relays • Flashers



Product Specifications

- 35 Amp to 15 Amp for micro relays
- 20 Amp to 40 Amp for mini relays
- 50 Amp to 80 Amp for power relays
- 12V to 24V
- Water-proof
- Dust-proof
- 4 termals, 5 terminals or changeover

Buttons

Starter Buttons • Indicator Lamps



Starter Buttons

- Black, yellow, red colors
- Stiffness and contact of the terminals are handled by two separate spring system



Indicator Lamps

- Yellow, red, green, light blue and dark blue colors
- Inner w/0 - w/12V - w/24V light bulb options


Hose Clamps

Hydraulic Pipe Hose Clamps • Boom Hose Clamps



Product Specifications

- Standart serie clamps DIN 3015/1
1/4" to 4"
- Heavy serie clamps DIN 3015/2
1/4" to 2,3/4"
- Twin serie clamps DIN 3015/3
1/4" to 1,1/2"
- Rubber insert pipe clamps
1/4" to 8"
- Heavy series twin clamps
1/2" to 1/4"
- Tube supporting clamp
1/8" to 1"
- Polyamid or polypropylene materiels



Product Specifications

- DIN 3088 form P, PK, EP
- Wire DIA. 5/16" to 2,3/8"


Hood Cable Loop

Windshield Washer Hoses

Product Specifications

- Type c inner DIA. 1/8" to 3/8"
- PVC hose inner DIA. 1/8" and 3/16"
- Best for windshield or headlight washers
- Vacuum tubing SAE J1037 spect.






Springs

Coil Springs • Compression Springs • Extension Springs

Snap Rings

DIN 471 • DIN 472



Castomid - Nylatron Parts

Boom Wear Pad and Plate • Bushings



Wear Pads

Product Specifications

- Exceptional Abrasion Resistance
- High potency
- Economical due to low density
- Very high tensile and compressive strenght
- Corrosion and chemical resistance
- Excellent noise reduction and vibration dampening
- Lightness




Bushings



Spacers

- Black Oxide
- Nickel
- Cadmium
- Finishings

• Aluminium



• Brass



• Steel



Backup Alarms and Horns

Trumpet Horn



Backup Alarms • Trumpet Horns • Signal Horn

Product Specifications

- High tone - Low tone
- 12V - 24V
- 410Hz & 510Hz - 110dB
- Corrosion Resistant
- One pin - Two pin - Special

Disc Horn



Backup Alarm



Backup Alarm



Warning Lights

Led Beacons

Product Specifications

- Colors: Yellow, Red, Green
- 3 Function - 1 Flash
- Water-proof
- Dust-proof



Work Lights

Led Beacons



Gas Springs

- Free type
- Locking type
- Various connection type



Gaskets




Rubber Gaskets • Edge Trims • Weatherstrips



Locks

Product Specifications

- Compression Latches
- Hood Locks
- Cabin Locks
- Forklift Locks
- Latch Clamps



Hinges

